






## CERTIFICATE OF ANALYSIS (COA)

<b>Product name</b>	Urolithin B	<b>Batch No.</b>	SP-20221227
<b>CAS No.</b>	1139-83-9	<b>Specification</b>	In house
<b>Quantity</b>	586.95kg	<b>Mfg. Date</b>	2022.12.27
<b>Date of Analysis</b>	2022.12.29	<b>Expiry Date</b>	2025.12.26

Test Items	Specification	Test Results
Appearance	light yellow powder	light yellow powder
Methanol	<3000ppm	Not Detected
Ethyl Acetate	<5000ppm	Not Detected
Acetic Acid	<5000ppm	Not Detected
Copper Ions	<3000ppm	Not Detected
Solubility	Soluble in DMSO or DMF	Conforms
HNMR	Prove product is correct	Meet Structural Requirements
The Largest Elementary Substance	≤1.0%	0.81%
Assay by HPLC	97.0%~103.0%	99.18%
Packing	Sealed export grade drum & double of sealed plastic bag	
Storage	Store in cool and dry place, keep away from strong light and heat	
Shelf life	24 months under the conditions above and in its original packaging	
Conclusion	The test product complies with the requirements of specification.	

<b>Analyst:</b> 	<b>Checker:</b> 	<b>Q. C. Director:</b> 
---	--	---